


i Series App Gateway

Manage, monitor, and control your energizer using your phone.

The i Series App Gateway enables communication between your i Series Energizer and the Gallagher Ag Devices Mobile App.



i Series App Gateway Communication

The App Gateway communicates with your mobile device using Bluetooth® when you are nearby.

You can connect to your WiFi network to manage, monitor and control your i Series Energizer from anywhere, anytime.

Add up to six Fence Monitors* to your fence line, to monitor location specific voltage, receive performance alerts and know the area where a fault is located.

*sold separately G51000




If you do not have WiFi connectivity at your energizer location, install a hotspot to provide connectivity

Installing your i Series App Gateway

Install the App Gateway in a location that provides a clear line of sight for Bluetooth® communications to your phone. **Gallagher recommends installation on the outside of the shed.**

- ① Power off the energizer
- ② Screw the base plate to the outside of the shed
- ③ Drill a 12mm hole through the base plate ring and thread the cable
- ④ Slide the App Gateway down onto the base plate
- ⑤ Plug the App Gateway cable into the back of the energizer
- ⑥ Power on the energizer




Connecting your App to your Energizer

1



Download the
Gallagher Ag
Devices Mobile
App

2



Sign up
or login

3




Select App
Gateway

4




Tap the
energizer to
register your
connection

5



Tap the down
arrow to view
the earth and
zone voltages

6



If available,
connect to WiFi
using the More
menu



am.gallagher.com